

ADINOL-RAPID

DECLARATION OF PERFORMANCE

Declaration number: **ADINOL-RAPID / 1628-3**

1.Unique identification code of the product type	ADINOL-RAPID
2.Intended use/uses	Set accelerating admixture for concrete
3.Manufacturer	<i>ISOMAT S.A</i> 17th Km Thessaloniki-Ag. Athanasios 57003 Ag. Athanasios, Greece
4.Authorised representative	<i>ISOMAT D.O.O.</i> Prhovacka bb, 22310, Šimanovci, Serbia <i>ISOMAT ROMANIA SRL</i> Str. Islazului Nr.1-5, Pantelimon, 077145 Jud. Ilfov, Romania <i>ISOMAT INTERNATIONAL E.O.O.D.</i> Botevgradsko Shosse No.348. Sofia, Bulgaria <i>ISOMAT GRADBENI MATERIALI D.O.O.</i> Cvetkova ulica 2 9000 Murska Sobota, Slovenia <i>ISOMAT YAPI KIMYASALLARI VE TIC.LTD.STI.</i> <i>ISTANBUL</i> IOSB S. Demirel Bulvan, Heskop Is Modern San. Sit., J Blok Zemin Kat No 20, Basaksehir <i>ООО «ИЗОМАТ»</i> 17, Nauchniy proezd, building 15-3 117246, MOSCOW, Russian Federation <i>ISOMAT DEUTSCHLAND GMBH</i> Karl-Wirth-Strasse 14 D-76694 Forst,Germany
5.System/s of AVCP	System 2+ (for uses in buildings and civil engineering works)

6a.Harmonised standard	EN 934-2:2009+A1:2012
Notified body/ies	TÜV AUSTRIA HELLAS NB 0906
6b.European Assessment Document	Not relevant
European Technical Assessment	Not relevant
Technical Assessment body	Not relevant
Notified body/ies	Not relevant

7.Declared performance/s			
Essential characteristics	Performance	Test Method	Harmonized Technical Specification
Initial setting time	At 20°C: test mix \geq 30 min At 5°C: test mix \leq 60% of control mix	EN 480-2	EN 934-2:2009 +A1:2012 T.6
Compressive strength at 28 days	Test mix \geq 80% of control mix	EN 12390-3	
Compressive strength at 90 days	Test mix \geq control mix at 28 days	EN 12390-3	
Air content in fresh concrete	Test mix \leq 2% (by volume) above control mix	EN 12350-7	
Chloride ion content	\leq 0,1% by mass	EN 480-10	
Alkali content	\leq 1,0% by mass	EN 480-12	
Corrosion behaviour	Contains the following components from EN 934-1: 2008, Annex A.2: Nitrates	EN 480-14	
Dangerous substances	Compliance		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above:

Signed for and on behalf of the manufacturer by:



Konstantinos Iliopoulos
Quality Manager



Georgios Syriopoulos
Certifications & Specifications Manager

Agios Athanasios 20 / 09 / 2022

CE MARKING



0906

ISOMAT S.A.
17th km Thessaloniki – Ag. Athanasios
P.O. BOX 1043, 570 03 Ag. Athanasios, Greece

07

0906-CPR-02412007/01

EN 934-2:2009+A1:2012

DoP No.: ADINOL-RAPID/1628-3

ADINOL-RAPID

Set Accelerating Admixture
EN 934-2: T6

Max chloride content: chloride free

Max alkali content: ≤ 1.0 % by weight

Corrosion behavior : Contains the following
components from EN 934-1:2008 Annex A.2:
(Nitrates)

Dangerous substances: compliance



Visit our website:

www.isomat.eu

ISOMAT S.A.
BUILDING CHEMICALS,
MORTARS & PAINTS

export@isomat.eu | www.isomat.eu

HEADQUARTERS
THESSALONIKI, GREECE

17th km Thessaloniki - Ag. Athanasios Road

P. O. BOX 1043, 570 03 Ag. Athanasios

T: +30 2310 576 000



CERTIFIED COMPANY