

DUROFLOOR-PSF

DECLARATION OF PERFORMANCE

Declaration number: **DUROFLOOR-PSF / 1818-01**

1.Unique identification code of the product type	DUROFLOOR-PSF
2.Intended use/uses	Primer SR-B2,0 Synthetic resin screed material SR-B2,0-AR0,5-IR4
3.Manufacturer	<i>ISOMAT S.A</i> 17th Km Thessaloniki-Ag. Athanasios 57003 Ag. Athanasios, Greece
4.Authorised representative	<i>ISOMAT D.O.O.</i> Prhovacka bb, 22310, Šimanovci, Serbia <i>ISOMAT ROMANIA SRL</i> Str. Islazului Nr.1-5, Pantelimon, 077145 Jud. Ilfov, Romania <i>ISOMAT INTERNATIONAL E.O.O.D.</i> Botevgradsko Shosse No.348. Sofia, Bulgaria <i>ISOMAT GRADBENI MATERIALI D.O.O.</i> Cvetkova ulica 2 9000 Murska Sobota, Slovenia <i>ISOMAT YAPI KIMYASALLARI VE TIC.LTD.STI.</i> <i>ISTANBUL</i> IOSB S. Demirel Bulvan, Heskop Is Modern San. Sit., J Blok Zemin Kat No 20, Basaksehir <i>ООО «ИЗОМАТ»</i> 17, Nauchniy proezd, building 15-3 117246, MOSCOW, Russian Federation <i>ISOMAT DEUTSCHLAND GMBH</i> Karl-Wirth-Strasse 14 D-76694 Forst,Germany
5.System/s of AVCP	System 4

6a.Harmonised standard	EN 13813:2002
Notified body/ies	Not relevant
6b.European Assessment Document	Not relevant
European Technical Assessment	Not relevant
Technical Assessment body	Not relevant
Notified body/ies	Not relevant

7.Declared performance/s				
Essential characteristics	Performance (Primer)	Performance (Synthetic resin screed)	Test Method	Harmonized Technical Specification
Release of corrosive substances	SR	SR	-	EN 13813:2002
Bond strength	B2,0	B2,0	EN 13892-8	
Wear resistance	NPD	AR0,5	EN 13892-4 (BCA)	
Impact resistance	NPD	IR4	EN ISO 6272	
Reaction to fire	NPD	F _{fl}	EN 13501-1	
Water permeability	NPD	NPD	EN 1062-3	
Sound insulation	NPD	NPD	EN ISO 140-6	
Sound absorption	NPD	NPD	EN 12354-6	
Thermal resistance	NPD	NPD	EN 12524	
Chemical resistance	NPD	NPD	EN 13529	

The performance of the product identified above is in conformity with the set of declared performance/s.
This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above:

Signed for and on behalf of the manufacturer by:



Konstantinos Iliopoulos
Quality Manager



Georgios Syriopoulos
Certifications & Specifications Manager

Agios Athanasios 25 / 07 / 2022

CE MARKING

CE	CE
<p>ISOMAT S.A. 17th km Thessaloniki – Ag. Athanasios P.O. BOX 1043, 570 03 Ag Athanasios, Greece DoP No.: DUROFLOOR-PSF/1818-01</p>	
09	09
<p>EN 13813 SR-B2,0-AR0,5- IR4</p> <p>Synthetic Resin screed material for use internally in buildings</p>	<p>EN 13813 SR-B2,0</p> <p>Primer</p>
<p>Reaction to fire: F_{fl}</p> <p>Release of corrosive substances: SR</p> <p>Water permeability: NPD</p> <p>Wear resistance: AR0,5</p> <p>Bond strength: B2,0</p> <p>Impact resistance: IR4</p> <p>Sound insulation: NPD</p> <p>Sound absorption: NPD</p> <p>Thermal resistance: NPD</p> <p>Chemical resistance: NPD</p>	<p>F_{fl}</p> <p>SR</p> <p>NPD</p> <p>NPD</p> <p>B2,0</p> <p>NPD</p> <p>NPD</p> <p>NPD</p> <p>NPD</p> <p>NPD</p>



Visit our website:
www.isomat.eu

ISOMAT S.A.
BUILDING CHEMICALS,
MORTARS & PAINTS
export@isomat.eu | www.isomat.eu

HEADQUARTERS
THESSALONIKI, GREECE
17th km Thessaloniki - Ag. Athanasios Road
P. O. BOX 1043, 570 03 Ag. Athanasios
T: +30 2310 576 000



CERTIFIED COMPANY