

# MARMOCRYL SILICONE-SILICATE FINE

## DECLARATION OF PERFORMANCE

Declaration number: **MARMOCRYL SILICONE-SILICATE FINE / 1412-03**

<b>1.Unique identification code of the product type</b>	MARMOCRYL SILICONE-SILICATE FINE
<b>2.Intended use/uses</b>	External render based on organic binder
<b>3.Manufacturer</b>	<i>ISOMAT S.A</i> 17th Km Thessaloniki-Ag. Athanasios 57003 Ag. Athanasios, Greece
<b>4.Authorised representative</b>	<i>ISOMAT D.O.O.</i> Prhovacka bb, 22310, Šimanovci, Serbia  <i>ISOMAT ROMANIA SRL</i> Str. Islazului Nr.1-5, Pantelimon, 077145 Jud. Ilfov, Romania  <i>ISOMAT INTERNATIONAL E.O.O.D.</i> Botevgradsko Shosse No.348. Sofia, Bulgaria  <i>ISOMAT GRADBENI MATERIALI D.O.O.</i> Cvetkova ulica 2 9000 Murska Sobota, Slovenia  <i>ISOMAT YAPI KIMYASALLARI VE TIC.LTD.STI.</i> <i>ISTANBUL</i> IOSB S. Demirel Bulvan, Heskop Is Modern San. Sit., J Blok Zemin Kat No 20, Basaksehir  <i>ООО «ИЗОМАТ»</i> 17, Nauchniy proezd, building 15-3 117246, MOSCOW, Russian Federation  <i>ISOMAT DEUTSCHLAND GMBH</i> Karl-Wirth-Strasse 14 D-76694 Forst,Germany
<b>5.System/s of AVCP</b>	System 4

<b>6a.Harmonised standard</b>	EN 15824:2017
<b>Notified body/ies</b>	Not relevant
<b>6b.European Assessment Document</b>	Not relevant
<b>European Technical Assessment</b>	Not relevant
<b>Technical Assessment body</b>	Not relevant
<b>Notified body/ies</b>	Not relevant

<b>7.Declared performance/s</b>			
<b>Essential characteristics</b>	<b>Performance</b>	<b>Test Method</b>	<b>Harmonized Technical Specification</b>
<b>Water vapour permeability</b>	V1	EN 7783-2	<b>EN 15824:2017</b>
<b>Water absorption</b>	W3	EN 1062-3	
<b>Adhesion</b>	≥ 0,4 MPa	EN 1542	
<b>Thermal conductivity</b>	0,7 W/(m.K)	EN 1745	
<b>Reaction to fire</b>	A2-s1, d0	EN 13501-1	
<b>Durability</b>	NPD		
<b>Dangerous substances</b>	Complies with paragraph 4.8		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above:

Signed for and on behalf of the manufacturer by:



**Konstantinos Iliopoulos**  
Quality Manager



**Georgios Syriopoulos**  
Certifications & Specifications Manager

**Agios Athanasios 30 / 07 / 2022**

## CE MARKING



**ISOMAT S.A.**

17<sup>th</sup> km Thessaloniki – Ag. Athanasios  
P.O. BOX 1043, 570 03 Ag. Athanasios, Greece

**13**

**EN 15824**

**External render based on organic binder**

**DoP No.: MARMOCRYL SILICONE –  
SILICATE FINE / 1412-03**

**Water vapor permeability:** V1

**Water absorption:** W3

**Adhesion:** 0.4 MPa

**Durability:** NPD

**Thermal conductivity:**  $\lambda = 0.7 \text{ W/(m K)}$

**Reaction to fire:** Euroclass A2-s1,d0



Visit our website:  
[www.isomat.eu](http://www.isomat.eu)

**ISOMAT S.A.**  
**BUILDING CHEMICALS,**  
**MORTARS & PAINTS**  
export@isomat.eu | www.isomat.eu

---

**HEADQUARTERS**  
**THESSALONIKI, GREECE**  
17th km Thessaloniki - Ag. Athanasios Road  
P. O. BOX 1043, 570 03 Ag. Athanasios  
**T: +30 2310 576 000**



CERTIFIED COMPANY